



**Bandit**  
INDUSTRIES, INC.

**STUMP GRINDERS:**  
SELF-PROPELLED, TOWABLE & TRACK UNITS



The year was 1983. The very first Bandit® chipper was built in a 6,000 square-foot converted repair shop, with the assistance of just six employees. That first machine was the Model 100 Brush Bandit™—a 12-inch capacity, hand-fed disc style chipper (shown here).

Today, Bandit's complete product lineup offers more than 50 different machines to choose from, each packing the reliability, durability, efficiency, and production that have made Bandit hand-fed chippers world famous. All Bandit equipment utilizes welded construction with the highest grade materials available.

And when it comes to options, nobody offers more personalization than Bandit. It's easy to see why more than 50,000 Bandit machines have been sold in over 50 countries. And it's easy to understand why more professionals trust Bandit for their wood waste processing needs.

**Join the Bandit family. Call your authorized Bandit dealer today!**



# BANDIT BUILDS YOUR BOTTOM LINE.

Bandit equipment is well-known and respected throughout the world. They're the best performing wood processing machines on the market, designed to meet the demands of hard-working professionals year after year. Every Bandit machine is built by specialized teams using the highest grade components with solid welded construction. No corners are cut; no compromises are made. And when customers have feedback on designs and features, Bandit listens. That's how we build equipment. That's how we build relationships. That's how we help you build your bottom line.

## BANDIT INDUSTRIES CORE VALUES

**Honesty and Integrity** - We hold ourselves to the highest integrity and ethical behavior and deliver what we promise. We strengthen our reputation through trust. Our dealers, customers, suppliers, community and employees must be able to trust what we say and be confident that we will keep our commitments.

**Performance Excellence** - Bandit's dedication to quality, performance and customer support is what differentiates us from the competition. It is our employees' personal pride and customer focus that continuously drives us to improve our processes and the products and services we provide. Our continued success depends upon addressing the needs of our employees and exceeding the expectations of our dealers and customers.

**Teamwork** - Bandit's diverse set of talents, thinking and opinions is what makes our team strong. We respect and value differences in opinions, experiences and backgrounds. We know that only by working together, we can produce better results than any one of us can achieve on our own.

**Commitment** - We make meaningful commitments to each other and those with whom we work and serve. We are committed to providing a safe, personally satisfying work environment for our employees. The commitment we share is essential to meet the needs of our dealers and customers. It is our duty to carry forward the Bandit legacy.

## THE BANDIT BACKBONE™ PRODUCT SUPPORT DEPARTMENT: 888-847-7807

The Bandit Backbone is Bandit's and our dealer's commitment to customer service and support. It's always been a cornerstone of Bandit's philosophy, and today that backbone is stronger than ever. If you own a Bandit machine—regardless the age, hours, or warranty status—the Bandit Backbone is here to support you.

## FREE TECHNICAL SUPPORT

When you call your nearest authorized Bandit dealer or the product support department, you'll be connected to a team of well-trained Bandit veterans with specialized experience. These specialists can provide guidance on everything from machine functions to maintenance procedures, electrical systems, and much more. This service is available to anyone, regardless of the machine, its age, or warranty status. And it's free of charge.

## PARTS AND SERVICE WHEN YOU NEED THEM MOST

The Bandit Backbone includes factory parts support and both parts and service support from over 200 Bandit authorized dealers worldwide. When problems arise, Bandit is committed to getting you back up and running with minimal downtime.



**Model 2900T**  
Stump Grinder

# Get on track with the ZT1844.

Don't sacrifice performance for a compact package. The Bandit Model ZT1844 is the most capable track-mounted compact stump grinder on the market, with an industry-leading cutter swing and grinding depth, intuitive controls and powerful engine options. Take your operation to the next level by adding a Bandit stump grinder to your fleet.



**Model ZT1844**  
Stump Grinder

# The Model ZT1844 compact track stump grinder

The ideal stump grinder for professionals and rental companies.

Bandit's Model ZT1844 is built to be the perfect solution for grinding stumps in tight and restricted areas not accessible by larger models. The ZT can quickly track in, grind the stump with its capable 18" cutterwheel and track out.

Powered by a standard 26.5-horsepower electronic fuel injection Kohler engine, this unit has more than enough power to plow through nearly any small and medium-sized stump. Upgrade your grinder to the 38-horsepower engine to add extra punch to this compact grinding monster!

The rubber track undercarriage is friendly to delicate lawns, but sturdy enough to track through rough fields to hard-to-reach stumps.



MODEL ZT1844

## QUICK COMPARISON

| MODEL ZT1844        |              |              |                          |               |         |
|---------------------|--------------|--------------|--------------------------|---------------|---------|
|                     | STANDARD     | METRIC       |                          | STANDARD      | METRIC  |
| LENGTH:             | 96"          | 243.8 cm     | CUTTER WHEEL DEPTH:      | 12"           | 30.5 cm |
| WIDTH:              | 29"          | 73.7 cm      | CUTTER WHEEL HEIGHT:     | 22"           | 55.9 cm |
| HEIGHT:             | 46"          | 116.8 cm     | WHEEL DIAMETER:          | 18"           | 45.7 cm |
| WEIGHT*:            | 1,420 lbs    | 644 kg       | # OF TEETH:              | 8 Greenteeth® |         |
| ENGINE:             | 26.5 & 38 hp | 19.5 & 28 kW | CUTTER WHEEL RPM:        | 2,050 RPM     |         |
| CUT/SWING:          | 44"          | 111.8 cm     | CUTTER WHEEL DRIVE:      | Belt-Driven   |         |
| FUEL TANK CAPACITY: | 7 gallons    | 26.5 L       | HYDRAULIC TANK CAPACITY: | 7 gallons     | 26.5 L  |

\*Specifications may vary with engines and options selected.  
For additional information contact your local authorized dealer.



MODEL ZT1844

High production  
doesn't have to  
mean high profile.

**Bigger isn't always better.** In fact, when it comes to grinding stumps, it's the durability and quality of the components that really make the difference. Your operation is only as hard-hitting as your equipment, and fortunately for you, Bandit offers the most rugged, durable stump grinders on the market. We understand that the heart of a stump grinder is the strength of the frame, the quality of the components, and the ease of operation.

Bandit uses the highest-quality steel to create the strongest stump grinding platform. We use aggressive hydraulic systems, heavy-duty pumps, the highest-quality bearings and reliable engines on all of our stump grinders. Power, performance and longevity; it's what you can expect from Bandit.



**Model 2550**  
Stump Grinder

# Self-Propelled Stump Grinders

Quicker to the stump, and *through* the stump!

Our compact backyard stump grinders will consistently grind large-diameter stumps while offering low maintenance and operating costs. From our unique hydrostatic direct-drive motors to our high-capacity tanks, these well-designed machines will go the distance!

## IT'S ALL ABOUT THE DRIVE.

- **Individual drive motors** on each axle ensure that your machine stays put while grinding. *\*Not available on the Model 2250R*
- The **hydrostatic drive system** is an efficient means of driving the cutter wheel. *\*Not available on the Model HB-20*
- Lose the belts, bearings and clutch with the hydrostatic direct-drive!
- **Reduce downtime and save money** by eliminating these costly wear parts.

## EXCEPTIONAL FLOTATION AND GROUND CONTROL.

- **Dual-drive tires** increase flotation and traction. *\*Not available on the Model 2250R*
- **Need to fit through a tight gate?** Remove dual tires with a single center bolt.
- Clean up after the job is a cinch with the optional **hydraulic grading blade**.
- These units have a **low center of gravity** and **excellent weight distribution**.

## QUICK COMPARISON

|                                 | MODEL HB-20  |                 | MODEL 2250R                                   |          | MODEL 2550                    |              | MODEL 2650    |             | MODEL 2890SP  |              |
|---------------------------------|--------------|-----------------|---|----------|-------------------------------|--------------|---------------|-------------|---------------|--------------|
|                                 | STANDARD     | METRIC          | STANDARD                                      | METRIC   | STANDARD                      | METRIC       | STANDARD      | METRIC      | STANDARD      | METRIC       |
| <b>LENGTH:</b>                  | 65.5" or 90" | 166 or 229 cm   | 107"  | 271.8 cm | 120.5"                        | 306.1 cm     | 135"          | 342.9 cm    | 162"          | 411.5 cm     |
| <b>WIDTH:</b>                   | 37.5"        | 95.3 cm         | 35"   | 89 cm    | 35.5"                         | 90.2 cm      | 35" or 55.5"  | 89 - 141 cm | 35" or 55.5"  | 89 - 141 cm  |
| <b>HEIGHT:</b>                  | 47.5" or 65" | 120.7 or 165 cm | 44.75"  | 113.7 cm | 72"                           | 182.9 cm     | 72"           | 182.9 cm    | 75"           | 190.5 cm     |
| <b>WEIGHT*:</b>                 | 700 lbs      | 317.5 kg        | 1,380 lbs                                     | 626 kg   | 2,280 lbs                     | 1,034.2 kg   | 3,820 lbs     | 1,732.8 kg  | 5,320 lbs     | 2413 kg      |
| <b>ENGINE:</b>                  | 25 hp        | 18.4 kW         | 25 hp   | 18.4 kW  | 35 - 49.6 hp                  | 25.7-36.5 kW | 74 hp         | 54.4 kW     | 165 hp        | 72.4 - 85 kW |
| <b>CUT/SWING:</b>               | 26"          | 66.1 cm         | 50"   | 127 cm   | 53.5"                         | 135.9 cm     | 69"           | 175.3 cm    | 75"           | 190.5 cm     |
| <b>CUT DEPTH:</b>               | 22"          | 55.9 cm         | 14"   | 35.6 cm  | 15"                           | 38.1 cm      | 18.5"         | 47 cm       | 24"           | 61 cm        |
| <b>CUT HEIGHT:</b>              | 22"          | 55.9 cm         | 24.5"   | 62.2 cm  | 23.5"                         | 59.7 cm      | 33"           | 83.8 cm     | 31.5"         | 80 cm        |
| <b># TEETH:</b>                 | 6            |                 | 24  |          | 24                            |              | 24            |             | 32            |              |
| <b>WHEEL DIAMETER:</b>          | 15"          | 38.1 cm         | 20.75"  | 52.7 cm  | 21"                           | 53.3 cm      | 21"           | 53.3 cm     | 24.5"         | 62.2 cm      |
| <b>WHEEL THICKNESS:</b>         | .5"          | 1.3 cm          | .5"   | 1.3 cm   | 1.25"                         | 3.2 cm       | 1.25"         | 3.2 cm      | 1.25"         | 3.2 cm       |
| <b>FUEL CAPACITY:</b>           | 4.4 gallons  | 16.7 L          | 8.75 gallons                                  | 33.1 L   | 8.5 gallons                   | 32.2 L       | 17 gallons    | 64.4 L      | 14 gallons    | 53 L         |
| <b>HYDRAULIC TANK CAPACITY:</b> | 2 gallons    | 7.6 L           | 8.75 gallons                                  | 33.1 L   | 8.5 gallons                   | 32.2 L       | 25 gallons    | 94.6 L      | 29.5 gallons  | 111.7 L      |
| <b>SELF-PROPELLED SYSTEM:</b>   | Hydraulic    |                 | Single Drive Motor with Chain/Sprocket System |          | Two Wheel or Four Wheel Drive |              | 4-wheel drive |             | 4-wheel drive |              |

\*Specifications may vary with engines and options selected. For additional information contact your local authorized dealer.



MODEL HB-20



MODEL 2890SP



MODEL 2650



MODEL 2250R

SELF-PROPELLED STUMP GRINDERS

# Stump grinding as easy as ready, set, *tow*.

Bandit's powerful tow-behind stump grinders are ideal for the high-production stump removal contractor. And trust us: these heavyweights will go all ten rounds! A Bandit towable stump grinder offers you an economical solution to a high-horsepower stump grinder. A traditional operator's station or radio remote controls are available on all Bandit tow-behind units.



**Model 3100**  
Stump Grinder

# Towable Stump Grinders

Your municipal and utility equipment solution.

Simple, powerful, dependable. Our towable stump grinders feature the same rigorous construction and powerful features of our self-propelled stump grinders. And this configuration delivers plenty of stump-busting power in an easy-to-haul package. We offer a standard operator's station, or radio remote controls for additional operator comfort.

## EASY TO OPERATE.

- **Telescoping tongues** make it easy to position yourself at the stump without moving the tow vehicle.
- Engaging the **cutter wheel** is as easy as flipping a switch.



MODEL 2600 TOWABLE



MODEL 3100 TOWABLE

## QUICK COMPARISON

|                          | MODEL 2600 TOWABLE |            | MODEL 3100 TOWABLE |               |
|--------------------------|--------------------|------------|--------------------|---------------|
|                          | STANDARD           | METRIC     | STANDARD           | METRIC        |
| LENGTH:                  | 155"               | 393.7 cm   | 169"               | 429.3 cm      |
| WIDTH:                   | 63.25"             | 160.7 cm   | 80"                | 203.2 cm      |
| HEIGHT:                  | 72.25"             | 183.5 cm   | 85"                | 215.9 cm      |
| WEIGHT*:                 | 3,720 lbs          | 1,687.4 kg | 5,460 lbs          | 2,477 kg      |
| ENGINE:                  | 74 hp              | 54.4 kW    | 122.5 - 165 hp     | 90.1-121.4 kW |
| CUT/SWING:               | 68"                | 172.7 cm   | 80"                | 203.2 cm      |
| CUT DEPTH:               | 22"                | 55.9 cm    | 27"                | 68.6 cm       |
| CUT HEIGHT:              | 27.5"              | 69.9 cm    | 31"                | 78.7 cm       |
| # TEETH:                 | 24                 |            | 44                 |               |
| WHEEL DIAMETER:          | 21"                | 53.3 cm    | 31"                | 78.7 cm       |
| WHEEL THICKNESS:         | 1.25"              | 3.2 cm     | 1.5"               | 3.8 cm        |
| FUEL CAPACITY:           | 20 gallons         | 75.7 L     | 25.5 gallons       | 96.5 L        |
| HYDRAULIC TANK CAPACITY: | 19.5 gallons       | 73.8 L     | 27 gallons         | 102.2 L       |
| SELF-PROPELLED SYSTEM:   | N/A                |            | N/A                |               |

\*Specifications may vary with engines and options selected. For additional information contact your local authorized dealer.



### DID YOU KNOW...

Oversized bearings on the cutter wheel motor reduce stress and vibration, and handle shock loads better.

TOWABLE STUMP GRINDERS

# Once you go track, you'll never go back.

Bandit's track stump grinders are high-production, high-power machines that provide unmatched maneuverability on all terrains, allowing your machine to ride just about anywhere. Track stump grinders are turf friendly and specially designed to fit through narrow gates.



# Rubber Track Stump Grinders

Heavy-duty undercarriages offer stability during travel.

The Bandit line of tested, high-performance stump grinders will stop at nothing to eliminate the biggest, toughest stumps! Stump grinders on tracks provide stability when traveling over uneven terrain, and durability when traversing rough soil conditions. In place of rubber tires, tracks help guide machines over rugged ground, hillsides and sloping landscapes.

## GET ON THE RIGHT TRACK.

- Bandit track undercarriages offer two independent drives, which provide a zero-turning radius to maneuver around the toughest of stumps.
- A powerful hydrostatic motor turns the cutter wheel efficiently, allowing the machine to tolerate side loads, shock loads, and stall situations better than most belt-driven systems
- These powerful machines are delicate enough to tread lightly over sensitive yards and manicured lawns and slim enough get through a backyard gate or fence.



MODEL 2550 TRACK



MODEL 3400 TRACK



MODEL 2650 TRACK

## QUICK COMPARISON


|                          | MODEL 2550T                |            | MODEL 2650T                                       |                  |
|--------------------------|----------------------------|------------|---|------------------|
|                          | STANDARD                   | METRIC     | STANDARD  | METRIC           |
| LENGTH:                  | 118"                       | 299.7 cm   | 130"  | 330.2 cm         |
| WIDTH :                  | 35"                        | 88.9 cm    | 35" or 54"  | 88.9 or 137.2 cm |
| HEIGHT:                  | 54"                        | 137.2 cm   | 64.5"   | 163.8 cm         |
| WEIGHT*:                 | 2,560 lbs                  | 1,161.2 kg | 4,620 lbs   | 2095.6 kg        |
| ENGINE:                  | 49.6 hp                    | 36.5 kW    | 74 hp   | 54.4 kW          |
| CUT/SWING:               | 53.5"                      | 135.9 cm   | 69"   | 175.3 cm         |
| CUT DEPTH:               | 15"                        | 38.1 cm    | 18.5"   | 47 cm            |
| CUT HEIGHT:              | 23.5"                      | 59.7 cm    | 33"   | 83.8 cm          |
| # TEETH:                 | 24                         |            | 24  |                  |
| WHEEL DIAMETER:          | 21"                        | 53.3 cm    | 21"   | 53.3 cm          |
| WHEEL THICKNESS:         | 1.25"                      | 3.2 cm     | 1.25"   | 3.2 cm           |
| FUEL CAPACITY:           | 8.5 gallons                | 32.2 L     | 17 gallons  | 64.4 L           |
| HYDRAULIC TANK CAPACITY: | 8.5 gallons                | 32.2 L     | 25 gallons  | 94.6 L           |
| SELF-PROPELLED SYSTEM:   | Rubber Track Undercarriage |            | Expandable/Retractable Rubber Track Undercarriage |                  |

|                          | MODEL 2900T                                       |                 | MODEL 3400T     |          |
|--------------------------|---|-----------------|-----------------|----------|
|                          | STANDARD  | METRIC          | STANDARD        | METRIC   |
| LENGTH:                  | 155"  | 393.7 cm        | 181"            | 459.7 cm |
| WIDTH :                  | 35" or 54"  | 88.9 - 137.2 cm | 81"             | 205.7 cm |
| HEIGHT:                  | 75"   | 190.5 cm        | 98"             | 248.9 cm |
| WEIGHT*:                 | 5,920 lbs   | 2,685.3 kg      | 12,500 lbs      | 5,670 kg |
| ENGINE:                  | 165 hp  | 121.4 kW        | 215 hp          | 158.1 kW |
| CUT/SWING:               | 75"   | 190.5 cm        | 95"             | 241.3 cm |
| CUT DEPTH:               | 24"   | 61 cm           | 27.5"           | 69.9 cm  |
| CUT HEIGHT:              | 31.5"   | 80 cm           | 38.5"           | 97.8 cm  |
| # TEETH:                 | 32  |                 | 44              |          |
| WHEEL DIAMETER:          | 24.5"   | 62.2 cm         | 31"             | 78.7 cm  |
| WHEEL THICKNESS:         | 1.5"  | 3.8 cm          | 1.5"            | 3.8 cm   |
| FUEL CAPACITY:           | 14 gallons  | 53 L            | 40 gallons      | 151.4 L  |
| HYDRAULIC TANK CAPACITY: | 29.5 gallons                                      | 111.7 L         | 67 gallons      | 253.6 L  |
| SELF-PROPELLED SYSTEM:   | Expandable/Retractable Rubber Track Undercarriage |                 | CAT 305CR Track |          |

# Available Options

Bandit is proud to offer the features and options that make your stump grinding operation more productive. For example, Bandit offers two styles of cutter wheels to maximize your productivity. The **Bandit Revolution wheel** is standard on most machines; a Green Wheel is optional.

Learn more about these two cutting systems by calling your local authorized Bandit dealer!



◀ **MATCH YOUR FLEET!**  
Don't forget to ask about custom colors. These six are available at no additional cost.

## The *Revolution* in Cutting Systems has Arrived.

### BANDIT REVOLUTION WHEEL

The Revolution is a significant breakthrough in stump grinder cutter wheel design. This wheel will significantly lower clean-up costs, reduce fuel consumption per stump, and reduce stump grinder wheel maintenance costs while increasing production.

- **Efficient Design.** The low profile beveled pocket design increases grinding production by 30-40% due to reduced pocket drag. The bevel design also reduces chip throw, resulting in safer operation and easier cleanup.
- **A Deeper Cut.** The Revolution wheel uses less energy and horsepower to grind due to the positioning of the cutting tools on the wheel, allowing the machine to make up to a 3" cut while maintaining a smoother cutting action.
- **Low Operating Cost.** Thicker carbide on forged and heat-treated shanks lead to substantial tooth life and reduced operating costs.
- **Better By Design.** A spiral pattern is used in positioning the teeth on the wheel, which allows the tooth to extend beyond the preceding tooth and enter the wood just beyond the wood that was just removed.
- **Aggressive Cutting Tools.** The standard carbide cutting tooth is most commonly used on the Revolution wheel. Teeth are made from a 7/8" wide high-carbon material that is forged and heat-treated.

### GREEN WHEEL

This optional wheel is an economical choice that will appeal to those who prefer to use a standard stump grinder tooth.

- **Aggressive From The Start.** The design of the Green Wheel provides a smooth, efficient cut with up to a 3" bite.
- **Tooth Rotation.** The teeth used in the Green Wheel can be rotated and used a number of times before having to be discarded.
- **Compatibility.** The Green Wheel is compatible with popular stump grinder teeth available on the market today.

### Not sure which cutting system is right for you?

Contact your local Bandit dealer or learn more by calling 1-800-952-0178 today!



## HOW CAN A BANDIT GRINDER SAVE YOU TIME?

### BANDIT STUMP GRINDERS SAVE YOU TIME ON THE JOB BY OFFERING:

- **Faster Clean Up.** Better chip containment means less mess at the site.
- **Less Maneuvering.** A wide swing arc means less maneuvering at the stump.
- **Precise Movement.** Our self-propelled units do not creep back during grinding.

## WANT TO SEE THESE OPTIONS IN ACTION?

CHECK US OUT ONLINE 24/7  
[WWW.YOUTUBE.COM/BANDITCHIPPERS](http://WWW.YOUTUBE.COM/BANDITCHIPPERS)



### FLOTATION TIRES

These wide, heavy-duty tires provide traction and flotation in a variety of ground conditions. Available on Bandit self-propelled units.



### GRADING BLADE

Clean up after grinding has never been easier. The hydraulic grading blade makes quick work when backfilling the grinding area. Optional on Bandit self-propelled units.



### SWING-OUT OR REMOTE CONTROLS

Many units can be equipped with either a swing-out control panel, radio remote controls, or a tethered remote control back-up system.



## ADDITIONAL FEATURES

### LOW GROUND PRESSURE AND HIGH STABILITY

Heavy-duty flotation tires on our self-propelled units provide maximum stability and flotation for a wide variety of terrain conditions. These units can be used in a backyard setting without damaging the yard, or used in a lot clearing application that features soft soil or uneven terrain. The tracks on our self-propelled track units are turf-friendly as well.

### EASY TO SERVICE

All Bandit stump grinders are easy to service and maintain. All grease points, filters, hoses and components are easily accessible.

### ENGINE OPTIONS

As with all Bandit equipment, our stump grinders can be equipped with a variety of engine options. Our smaller self-propelled units can be equipped with either gas or diesel engine options, while our larger models feature diesel options from a variety of manufacturers. The choice is yours!

### HIGH-QUALITY CONTROL SYSTEMS

All Bandit stump grinders equipped with manual controls feature heavy-duty control valves that are built to last.

### RELIABLE DRIVE SYSTEMS

All Bandit stump grinders feature high-powered drive systems that allow them to go where most competitive units only dream of. These units are capable of traveling over many different terrains, and have the power to travel up hills and through muddy conditions with ease. And since each of the front two motors features a braking system, the grinder will hold in place, reducing creepback while grinding. These motors also help the unit climb up chip piles, reduce tire spinning, repositioning, and increasing production.

# The next evolution in high performance stump grinding.

The BTC-300 delivers exceptional land clearing performance with exceptional reliability and class-leading levels of comfort. Built from extensive customer feedback and over a decade of experience, the BTC-300 further builds on Bandit's vision for an all-terrain mowing and stump grinding machine.



# Track Carriers

## BTC-300 Track Carrier

The BTC-300 is a completely new track carrier from Bandit Industries. From its redesigned deluxe operator's cab with its outstanding visibility, to numerous mechanical updates and Tier 4 engine power, the BTC-300 delivers exceptional land clearing performance with exceptional reliability and class-leading levels of comfort.



**BTC-300 WITH FORESTRY MOWER ATTACHMENT**

### **AVAILABLE WITH INTERCHANGEABLE MOWING AND STUMP GRINDING ATTACHMENTS**

Whether clearing acres of trees or fields of stumps, the BTC-300 can handle it with newly designed mowing and stump grinding attachments. The forestry mower features a very wide 90-inch cut and can easily take down small-to-medium sized trees. A new float feature helps the mower head ride at ground level without digging in. A patent-pending tooth and holder design aggressively processes trees, limbs and brush, mulching it all directly into the ground. The stump grinding head features a 44-inch diameter grinding wheel with a deeper reach, and it offers 30% more torque than previous models for quick, efficient grinding. Switching between the attachments is extremely easy, taking less than 10 minutes in the field.

### **TILTING DELUXE OPERATOR CAB WITH ROPS/FOPS/OPS CERTIFICATION**

Operators will not want to leave the BTC-300's luxurious, state-of-the-art operator's cab. Ballistics-grade poly-carbonate windows negate the need for window guards, providing superb visibility while still meeting ROPS/ FOPS/OPS certification. Finished interiors with rubber-isolated cab mounts create a surprisingly quiet atmosphere for operators to work, yet still allow the cab to tilt for easy maintenance access. Industry-leading HVAC systems with window and foot vents ensure cool operation in summer and plenty of warmth in winter. Additional convenience items like padded cell phone holders, 12V charging ports and oversized cup holders ensure no other operators are treated as well in any other machine.



**BTC-300 WITH STUMP GRINDER ATTACHMENT**



[WWW.YOUTUBE.COM/BANDITCHIPPERS](http://WWW.YOUTUBE.COM/BANDITCHIPPERS) • [WWW.TWITTER.COM/BANDITINDUSTRIES](http://WWW.TWITTER.COM/BANDITINDUSTRIES) • [WWW.FACEBOOK.COM/BANDITINDUSTRIES](http://WWW.FACEBOOK.COM/BANDITINDUSTRIES)

All specifications, dimensions, standards and options are subject to change without notice. Dimensions and weights may vary, depending on options and engines selected. Bandit Industries, Inc. reserves the right to change designs, specifications and options without prior notice. All figures shown in technical data were current at the time of printing. However, these can change as a result of further product development and regional distribution differences. Please contact your authorized Bandit dealer or Bandit Industries, Inc. for more information. Made in the USA. Printed in the USA. © 2017 Bandit Industries, Inc. All Rights Reserved.